




Stehleuchten

LED BÜRO-STEHLUCHE UGR<17



für weitere Infos QR-Code scannen



UGR<17

IP20

Ra(CRI)
>80



L80/B10
bei 25°

optimal
-10°-30°



Art.Nr.	W	V	K	mittl. LD	Lm	mA	Winkel	L x B mm	H mm
81-6000 grau	40 W ↑	230 V	4.000 K	50.000 h	4.600 lm	1.050 mA	110°	610 x 280	1.950
	40 W ↓	230 V	4.000 K	50.000 h	4.200 lm	1.050 mA	60°	610 x 280	1.950
81-6002 weiß	40 W ↑	230 V	4.000 K	50.000 h	4.600 lm	1.050 mA	110°	610 x 280	1.950
	40 W ↓	230 V	4.000 K	50.000 h	4.200 lm	1.050 mA	60°	610 x 280	1.950

- LED-Büro-Stehleuchte für Großraumbüros, Konferenztische oder Doppelschreibtische
- Gleichmäßige Lichtverteilung nach oben und unten
- Standfuß aus Metall, Gestänge und Leuchtenkopf aus Aluminium
- Down: Microprismatische Abdeckung / Up: opale Abdeckung
- Bildschirmarbeitsplatztauglich, UGR<17
- inklusive 250 cm Zuleitung mit Netzstecker
- Drehknopf zum ein-/ausschalten und dimmen



81-6000



81-6002